






# ocean master & plantation MAX single cantilever

"easy drive" crank w/ telescoping mast




|                                                                                                                                     |                             | mast height<br>(open position) | canopy<br>clearance | mast height<br>(telescope<br>closed position) | table clearance<br>(telescope) | closed<br>parasol width<br>(closed include<br>crank handle) | flat to flat                         | point to point | parasol width<br>(open – include<br>crank handle) | crank handle clearance                                                                |
|-------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|--------------------------------|---------------------|-----------------------------------------------|--------------------------------|-------------------------------------------------------------|--------------------------------------|----------------|---------------------------------------------------|---------------------------------------------------------------------------------------|
|                                                                                                                                     | sizes<br>[ft/m]             | a<br>(in/cm)                   | b<br>(in/cm)        | c<br>(in/cm)                                  | d<br>(in/cm)                   | e<br>(in/cm)                                                | f<br>(in/cm)                         | g<br>(in/cm)   | h<br>(in/cm)                                      |                                                                                       |
| <b>MAX<br/>cantilever</b><br><br><b>square</b><br> | 8.0' / 2.45                 | 102 / 259                      | 87.5 / 222          | 122.75 / 312                                  | 53.5 / 136                     | 25.5 / 65                                                   | 95.5 / 243                           | 134 / 340      | 107.5 / 273                                       |   |
|                                                                                                                                     | 10.0' / 3.0                 | 102 / 259                      | 84.5 / 215          | 128 / 325                                     | 40.5 / 103                     | 22.5 / 57                                                   | 120.5 / 306                          | 168 / 427      | 130.25 / 331                                      |                                                                                       |
|                                                                                                                                     | 12.0' / 3.65                | 108 / 274                      | 81.5 / 207          | 140 / 355                                     | 31.5 / 80                      | 23.5 / 60                                                   | 143 / 363                            | 201 / 511      | 154.5 / 392                                       |                                                                                       |
|                                                                                                                                     | 13.0' / 4                   | 112 / 284                      | 91.5 / 232          | 144.5 / 367                                   | 31.5 / 80                      | 25 / 64                                                     | 152.5 / 386                          | 215 / 546      | 163.5 / 415                                       |                                                                                       |
| <b>octagon</b><br>                               | 9.0' / 2.75                 | 102 / 259                      | 84 / 213            | 127.5 / 324                                   | 63 / 160                       | 26.5 / 67                                                   | 103 / 262                            | 110 / 279      | 120.5 / 306                                       |  |
|                                                                                                                                     | 11.0' / 3.4                 | 102 / 259                      | 80 / 203            | 132.5 / 337                                   | 54 / 137                       | 25 / 64                                                     | 121 / 307                            | 132 / 335      | 142.5 / 362                                       |                                                                                       |
|                                                                                                                                     | 13.0' / 4.0                 | 106 / 269                      | 86 / 218            | 139 / 353                                     | 51 / 130                       | 26 / 66                                                     | 141 / 358                            | 153 / 389      | 165 / 419                                         |                                                                                       |
| <b>rectangle</b><br>                              | 8.0' x 12.0'<br>2.45 x 3.65 | 99 / 251                       | 84.5 / 215          | 118 / 300                                     | 32 / 81                        | 22.5 / 57                                                   | f1 X f2<br>145 X 97 /<br>368.3 X 245 | 174 / 442      | 108 / 274                                         |  |
|                                                                                                                                     | 10.0' x 14.0'<br>3.0 x 4.25 | 106 / 269                      | 89 / 226            | 129.5 / 329                                   | 28.5 / 72                      | 21.5 / 55                                                   | f1 X f2<br>171 X 120 /<br>434 X 305  | 208.5 / 530    | 130.5 / 331                                       |                                                                                       |

Dimension Tolerances  $\pm 2"$   
 Dimensions shown correspond to indicated lift system  
 Options are subject to change without notice  
 Some options are only available in certain sizes and shapes

2" security base stem height not included

# ocean master & plantation MAX single cantilever


## auto-lift assist piston system



Dimension Tolerances ± 2"  
 Dimensions shown correspond to indicated lift system  
 Options are subject to change without notice  
 Some options are only available in certain sizes and shapes

2" security base stem height not included

ocean master & plantation MAX single cantilever  
tilt option



|                                                                                                           |                 | mast height<br>(open position) | canopy<br>clearance | canopy edge<br>at max. tilt | max. tilt<br>height | mast height<br>(closed position) | table<br>clearance | parasol width<br>(closed ) | flat to flat | point to point | parasol width<br>(open)      |
|-----------------------------------------------------------------------------------------------------------|-----------------|--------------------------------|---------------------|-----------------------------|---------------------|----------------------------------|--------------------|----------------------------|--------------|----------------|------------------------------|
| MAX tilt<br>cantilever                                                                                    | sizes<br>[ft/m] | a<br>(in/cm)                   | b<br>(in/cm)        | c<br>(in/cm)                | d<br>(in/cm)        | e<br>(in/cm)                     | f<br>(in/cm)       | g<br>(in/cm)               | h<br>(in/cm) | i<br>(in/cm)   | j<br>min. to max.<br>(in/cm) |
| <b>square</b><br>         | 8.0' / 2.45     | 99 / 251                       | 86 / 218            | 46 / 117                    | 133 / 338           | 99 / 251                         | 31 / 79            | 23 / 58                    | 97 / 246     | 135 / 343      | 50/127 to 104/264            |
|                                                                                                           | 10.0' / 3.0     | 106 / 269                      | 88 / 224            | 40 / 102                    | 157 / 399           | 106 / 269                        | 19 / 48            | 15 / 38                    | 121 / 307    | 168 / 427      | 38/97 to 128/325             |
| <b>octagon</b><br>      | 9.0' / 2.75     | 105 / 267                      | 87 / 221            | 41 / 104                    | 130 / 330           | 105 / 267                        | 41 / 104           | 22 / 56                    | 101 / 257    | 110 / 279      | 73/185 to 118/300            |
| <b>zero horizon</b><br> | 10.0' / 3.0     | 106 / 269                      | 99 / 251            | 40 / 102                    | 157 / 399           | 106 / 269                        | 19 / 48            | 15 / 38                    | 122 / 309    | 172 / 437      | 42/107 to 129/328            |

Dimension Tolerances ± 2"  
Dimensions shown correspond to indicated lift system  
Options are subject to change without notice  
Some options are only available in certain sizes and shapes

2" security base stem height not included